

المحترمين

السادة/ منتسبي غرفة نجران

السلام عليكم ورحمة الله وبركاته،،،

إشارة لخطاب اتحاد الغرف السعودية رقم (٤٤٥٠٥٤٧٤) بتاريخ (١٤٤٤/١٢/٣٠هـ) والذي يشير إلى البريد الإلكتروني الوارد من الهيئة العامة للنقل بتاريخ (١٤٤٤/١٢/٢٩هـ) والمشارفيه إلى خطاب شركة الخريف للبترول الوارد إلى الهيئة بتاريخ (١٤٤٤/١٢/٢٣هـ) المتضمن عدم توفر شركة نقل سعودية مرخصة ومؤهلة ومعتمدة لدى شركة أوكسي (OXY) في سلطنة عمان الشقيقة لنقل وتوريد المعدات بالوقت الحالي ، حيث أن شركة الخريف تملك مصنعاً عالمياً لإنتاج مضخات النفط الكهربائية الغاطسة في المدينة الصناعية الثانية بالدمام ، وأبرمت عقد بيع وتوريد وتركيب ما يقارب (١٤) نظام من مضخات النفط الأفقية مع شركة أوكسي (OXY) لتوريدها إلى سلطنة عمان خلال شهري يوليو ٢٠٢٣ م ، وطلب الشركة السماح لها بتسهيل دخول مركبات نقل عمانية فارغة للأراضي السعودية عبر منفذ الربع الخالي السعودي العماني لنقل المعدات ، ونظراً لطلب الهيئة الإفادة عن مدى توفر ناقل وطني مرخص لدى شركة أوكسي وقادر على نقل المعدات . عليه نفيد بذلك للعلم والإحاطة لمن كان لديه إمكانية نقل المعدات حسب التفاصيل المرفقة لسلطنة عمان الشقيقة ، ونأمل منكم الرد بموعد اقصاه يوم الأربعاء (١٤٤٥/٠١/٠٨هـ) كما يمكنكم التواصل في هذا الشأن مع الأستاذ/ فيصل الصالح على الجوال رقم (٠٥٤٧٩٠٦٤٤٠)

او البريد الإلكتروني | (falsaleh@fsc.org.sa) .

وتقبلوا تحياتنا،،،

الأمين العام المكلف

د . علي بن عبد الله الحربي



اتحاد الغرف السعودية
Federation of Saudi Chambers

رقم الصادر :

٤٤٥٠٥٤٧٤

تاريخ الصادر :

١٤٤٤/١٢/٣٠

مشفوعات :

لا توجد مشفوعات

اتحاد الغرف السعودية
Federation of Saudi Chambers



44585474

VISION 2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

- هام وعاجل جدا -

الموضوع : توفير ناقل وطني مرخص لدى شركة أوكسي (OXY)

سلمه الله

سعادة أمين عام الغرفة التجارية

السلام عليكم ورحمة الله وبركاته،،،



إشارة إلى البريد الإلكتروني الوارد من الهيئة العامة للنقل بتاريخ ١٤٤٤/١٢/٢٩ هـ والمشار فيه إلى خطاب شركة الخريف للبترول الوارد إلى الهيئة بتاريخ ١٤٤٤/١٢/٢٣ هـ المتضمن عدم توفر شركة نقل سعودية مرخصة ومؤهلة ومعتمدة لدى شركة أوكسي (OXY) في سلطنة عمان الشقيقة لنقل وتوريد المعدات بالوقت الحالي ، حيث أن شركة الخريف تملك مصنعاً عالمياً لإنتاج مضخات النفط الكهربائية الغاطسة في المدينة الصناعية الثانية بالدمام ، وأبرمت عقد بيع وتوريد وتركيب ما يقارب (١٤) نظام من مضخات النفط الأفقية مع شركة أوكسي (OXY) لتوريدها إلى سلطنة عمان خلال شهر يوليو ٢٠٢٣ م ، وطلب الشركة السماح لها بتسهيل دخول مركبات نقل عمانية فارغة للأراضي السعودية عبر منفذ الربيع الخالي السعودي العماني لنقل المعدات . ونظراً لطلب الهيئة الإفادة عن مدى توفر ناقل وطني مرخص لدى شركة أوكسي وقادر على نقل المعدات ، أمل من سعادتكم إحاطة المشتركين والمستثمرين المعنيين من ذوي الاختصاص بأنشطة النقل عن مدى إمكانية نقل المعدات حسب التفاصيل المرفقة لسلطنة عمان الشقيقة والرد بموعد أقصاه يوم الأربعاء ١٤٤٥/١/٨ هـ ، ويمكن للمختصين لديكم التواصل في هذا الشأن مع الأستاذ/ فيصل الصالح على الجوال رقم (٠٥٤٧٩٠٦٤٤٠) أو البريد الإلكتروني (falsaleh@fsc.org.sa).

وتفضلوا بقبول أطيب تحياتي واحترامي،،،

الأمين العام
حسين بن عبدالقادر العبدالقادر

رقم الوارد: 309
التاريخ: 19-07-2023 م - 1445/01/01 هـ
المرفقات: 6
الجهة: اتحاد الغرف السعودية

ITEM	QTY	PART NUMBER
19	1	LEAK TRAY - THRUST SOCD
21	5	ASME B16.9 Long Radius 90 Deg Elbow (90°) 1 x 0.113
22	7	FLANGE UNION UNIVERSAL
42	7	UNION UNIVERSAL 1in #3000 - JACO
45	3	ASME B16.9 Spigot Tee 1 x 0.113
49	16 meters	ASME B16.9 Pipe 1 - Schedule 40 - 20.2047
50	1	ASME B16.9 Reducer 2 x 1 - Schedule 40
51	1	ASME B16.9 Gate Valve Flanged Ends - Class 150



NOTES	
REV 5	DRAWING INCLUDING CIV COMMENTS
REV 4	DRAWING INCLUDING CIV COMMENTS
REV 3	ADDED STRUCTURAL ANALYSIS
REV 2	DRAWING INCLUDING CIV COMMENTS
REV 1	FINAL ISSUE
REV 0	APPROVED FOR CONSTRUCTION
DATE	10/06/2022
DESIGNER	110.1000
CHECKER	110.1000
APPROVED	110.1000
DATE	10/06/2022
DESIGNER	110.1000
CHECKER	110.1000
APPROVED	110.1000
DATE	10/06/2022

ITEM	PART NUMBER	COMPONENT	DESCRIPTION	QTY
1	11298-5001-1001020786	HPS	HPS SKID, 700HP@11000 V SAFE AREA, W/12000 PUMP 79 STG, XHD THRUST CHAMBER, API682 CARTRIDGE SEAL, BALANCED COUPLING AND INSTRUMENTATION WIRED TO LUB	1
2	11298-5001-1001020808	HPS SKID MOTOR	HORIZONTAL PUMP SKID, W/12000 PUMP, 709HP MOTOR, HEAVY DUTY	1
3	11298-5001-1001020780	SHIMS	MOTOR 709HP, 3000RPM, 11000V, 50HZ, IEC 60034 SAFE AREA	1
4	11101-5001-00002400078	SHIMS	SHIMS, ACCUSHIMS, KIT D 5" X 5"	1
5	11898-5001-1001020530	COUPLING	COUPLING TC X MOTOR, 700 HP, DISC COUPLING, FLEXIBLE, SPACER, NON-LUBRICATED, SF 1.5	1
6	11898-5001-1001020783	COUPLING GUARD	COUPLING GUARD ASSEMBLY 700HP MOTOR	1
7	11788-5001-1001020533	HORIZONTAL THRUST CHAMBER	XHD, LPS TC ASSEMBLY 14,000 LBS THRUST, 1200 HP, CORROSION RESISTANT HEAD	1
8	11898-5001-1001020785	LUBE OIL COOLER	COOLER PUMP MOTOR 1/2HP@15150HZ	1
9	11298-5001-1001020790	BRACKET	XHD, BRACKET SYSTEM 700HP MOTOR	1
10	11898-5001-1001020536	MECHANICAL SEAL	MECHANICAL SEAL API682 WETTED PARTS IN DUPLEX STAINLESS STEEL, 1.5 INCHES SHAFT, CARTRIDGE TYPE	1
11	11898-5001-1001020784	FLUSH PLAN	FLUSH PLAN FOR API682 SEAL	1
12	11898-5001-1001020542	SEAL PLATE FOR SEAL	SEAL PLATE CHAMBER FOR XHD- LPS TC FOR CARTRIDGE SEAL	1
13	11898-5001-1001020542	INTAKE FLANGE	INTAKE FLANGE 87.5" X 1500 RF, DUPLEX STAINLESS STEEL WITH TEST AND MATERIAL CERT	1
14	11898-5001-1001020550	COUPLING TC-PUMP	COUPLING TC-6755 PUMP	1
15	11201-5002-1001020488	PUMP	SPECTRUM PUMP, W/12000, DUPLEX, #150HSG, 44510, CWP AR, HS, HSG DUPLEX, HB DUPLEX LT	1
16	11201-5002-1001020489	PUMP	SPECTRUM PUMP, W/12000, DUPLEX, #120HSG, 35510, CWP AR, HS, HSG DUPLEX, HB DUPLEX LT	1
17	11898-5001-1001020543	DISCHARGE FLANGE	DISCHARGE FLANGE 87.5" X 1500 RF, DUPLEX STAINLESS STEEL WITH TEST AND MATERIAL CERT	1
18	11898-5001-1001020789	PRESSURE TRANSMITTER	PROKOGAMA 67500E PRESSURE TRANSMITTER 0-200PSI, 4-20mA, IHAUT PROTOCOL, ATEX CERTIFIED, SUITABLE FOR ZONE 1, IMA1B T4, HAZARDOUS AREA	1
19	11898-5001-1001020801	TEMPERATURE TRANSMITTER	PROKOGAMA 67500E TEMPERATURE TRANSMITTER WITH RTD 4-20mA, ATEX certified suitable for zone 1, IMA1B T4 for Hazardous area	1
20	11898-5001-1001020797	VIBRATION TRANSMITTER	[BENTLEY NEVADA 177220 STACCELEROMETER WITH TRANSMITTER 4-20mA, ATEX certified suitable for zone 1, IMA1B T4 for Hazardous area	1
21	11298-45010000040543	JUNCTION BOX	NEUMA 4 X 5S 31BL JUNCTION BOX	2




ITEM	REFERENCE DOCUMENT	DESCRIPTION
1	APC-OXY-QMNH-07-3.2	W/12000 datasheet 11000 V safe area
2	APC-OXY-QMNH-07-2.2	700 HP@11000 V data sheet
3	APC-OXY-QMNH-07-4.3	Space coupling Motor - Thrust Chamber 700HP 11000V
4	APC-OXY-QMNH-07-2.8	Mechanical seal drawing
5	APC-OXY-QMNH-07-2.3	Motor 700 HP@11000 V drawing
6	APC-OXY-QMNH-07-5.3	14000 lbs thrust chamber layout drawing 11000 V
7	APC-OXY-QMNH-07-5.1	Pump Drawing W/12000 LT, 44 sig for 10,000 BFPD
8	APC-OXY-QMNH-07-3.2	Pump Drawing W/12000 LT, 35 sig for 10,000 BFPD
9	APC-OXY-QMNH-07-2	10000 BFPD@6600 V PLD
10	APC-OXY-QMNH-07-2	Power supply datasheet 700HP-11000 V SAFE AREA
11	APC-OXY-QMNH-07-1	Solid manufacturing inspection and test plan
12	APC-OXY-QMNH-07-1	Pumps inspection and test plan
13	APC-OXY-QMNH-07-1.2	700 HP@11000 V inspection and test plan

REV 5	DRAWING INCLUDING OXY COMMENTS	05/07/2022
REV 4	DRAWING INCLUDING OXY COMMENTS	02/06/2022
REV 3	AFTER STRUCTURAL ANALYSIS	15/05/2022
REV 2	DRAWING INCLUDING OXY COMMENTS	18/04/2022
REV 1	FIRTS ISSUE	17/03/2022
REV 0	APPROVED FOR CONSTRUCTION	01/08/2022

 ALKHOVOYT	DESIGNED BY: J.D. Soyuz CHECKED BY: V.F. Parada APPROVED BY: S. Izabela DATE: 10/09/2022
PROJECT: APC-OXY-QMNH-07-3.2 DRAWING: 010000 - 11000V 2000 LAYOUT DRAWING SUBJECT: SOLID MANUFACTURE FOR WATER INJECTION PUMPS - HPS CLIENT: ALKHOVAIY PETROLEUM	SHEET: 3 OF 6 ENG-PL-EN-10909-005

NOTES

TYPE - J (J5)



NOTES
Bolt Type-J - In accordance with OXY Standard drawing of details of foundation bolts OMN-STD-CVL-2001.

REV	DESCRIPTION	DATE
REV 5	DRAWING INCLUDING OXY COMMENTS	05/07/2022
REV 4	DRAWING INCLUDING OXY COMMENTS	02/06/2022
REV 3	AFTER STRUCTURAL ANALYSIS	15/05/2022
REV 2	DRAWING INCLUDING OXY COMMENTS	18/04/2022
REV 1	FRTS ISSUE	17/03/2022
REV 0	APPROVED FOR CONSTRUCTION	01/08/2022
DESCRIPTION		
J.D. Sogara		
3		
CARBON STEEL		
OT		
10909		
010000 - 110000 2500 LAYOUT DRAWING		
SOPD MANUFACTURE FOR WATER INJECTION PUMPS - HPS		
ALUMINUM PETROLEUM		
ENGINEERING		
ENG-PL-EN-10909-006		
6 OF 6		